Kootenay Filter

kootenayfilter.com/product/kfi-1000gl-with-6-flange/



KFI 1000GL – 6″ x 20″

Carbon: Granulated Virgin Activated Carbon
Prefilter installed: Yes
Replacement Prefilter SKU: PF1000GL

CFM/M3 Ratings:
Max Exhaust CFM – 295
Max Recirculate CFM – 590
Max Exhaust M3 – 500
Max Recirculating M3 – 1000

SKU: GL1000 Category: Green Line Filters

SKU:	**1000GL**	
Carbon:	Granulated Virgin Activated Carbon	
Prefilter Installed:	Yes	
Replacement Prefilter SKU:	PF1000GL	
Measurements and Weights:	Imperial	Metric
Outside Diameter:	11.8"	30cm
Lengths:	19.7"	50cm
Total Weight:	24.3lbs	11.0kg
Carbon Weight:	11.2lbs	5.1kg
Carbon Bed:	2.0"	5.0cm
Max Operating Temperature:	176F	80°C
Minimum Recommended Airflow:	148CFM	

Possible Fan Combinations:	**Exhaust**	**Recirculating**
	Renegade CF 6 Renegade FR 6 Renegade EC Pro 6 Renegade Silent 6	Renegade CF 6 Renegade FR 6 Renegade EC Pro 6

The Green Line is Kootenay Filter Inc.'s Lightweight Filter Line. KFI is proud to have a product that uses only virgin activated carbon made from renewable resources. The proven design, manufacturing process and a production staff with years of experience make our product one of the best filters on the market. Our Light line filters are available with flange sizes 4″-14″ rated for 3250cfm. Our filters consist of only 2 things, steel and carbon; they are effective and robust.

Green Line Filters

- Virgin activated carbon made from renewable resources
- Dedusted and screened
- Lightweight filter
- Max operating temperature 80˚C / 176˚F
- Max allowed humidity 70% (short term only)
- Prefilter installed
- Robust galvanized steel housing

- Single packaged and sealed for storage
- Made in North America
- 2″ carbon bed
- Flanges installed from 4″ to 14″

