Rampart 6.8 Fungicide

EPA REG NO. 82940-1-34704

Loveland PRODUCTS Get Growing **FIFRA Section 2(ee) Recommendation**	**This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the U.S. Environmental Protection Agency** **FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF NEW JERSEY**

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its label and labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

BERRY CROPS: Blackberry (including bingberry, black satin berry, boysenberry, Cherokee blackberry, Chesterberry, Cheyenne blackberry, coryberry, darrowberry, dewberry, Dirksen thornless berry, Grapes (all types), Himalayaberry, hullberry, Lavacaberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, nectarberry, olallieberry, Oregon evergreen berry, phenomenalberry, rangeberry, ravenberry, rossberrry, Shawnee blackberry, youngberry, and varieties and/or hybrids of these), Blueberry, Cane Berries, Cranberry, Currant, Elderberry, Gooseberry, Huckleberry, Loganberry, Raspberry (black and red) and Strawberry.

Disease	Application Method	Rate	Application Program
Anthracnose‡ **Phytophthora** **Pythium** **Fusarium*** **Rhizoctonia***	**Foliar**	**1 to 3 quarts in a minimum of 20 gallons of water/acre.**	**Disease Prevention Program†: Apply lower rate at 2-4 week intervals after plants become established.**
	Aerial Application	**1 to 3 quarts in a minimum of 5 gallons of water/acre.**	**Disease Control Program: Apply higher rate at 2-3 week intervals until control is reached. Consult with Farm Advisor or crop expert to determine disease severity**
	Root Dip	**2 quarts/100 gallons of water, 2/3 fl. oz./gallon of water.**	**Apply as pre-plant dip to the roots for 15-30 minutes. Plant within 24 hours after dipping.**
	Irrigation	**Overhead: 2 to 4 quarts in at least 100 gals. of water.** **Drip: 2 to 3 quarts in at least 100 gals. of water.**	**Apply with normal irrigation schedule.** **Follow Disease Prevention Program or Disease Control Program as stated above.**
Downy Mildew	**Foliar**	**1 to 3 quarts in a minimum of 20 gallons of water/ acre**	**Apply at 2-3 week intervals** **Follow Disease Prevention Program or Disease Control Program as stated above.**
	Aerial Application	**1 to 3 quarts in a minimum of 5 gallons of water/ acre**	

*Not for use in California

†If you are unsure these conditions exist, consult your local Extension Agent

‡Suppression only

Rampart 6.8 Fungicide

EPA REG NO. 82940-1-34704

BRASSICA CROPS: Broccoli (all types), Brussels sprouts, Cabbage (all types), Cauliflower, Cavalo broccoli, Collards, Kale, Kohlrabi, Mizuna, Mustard greens, Mustard spinach and Rape greens.
Aerial applications may be made in a minimum of 5 gallons of water/acre.

CEREAL GRAINS, FORAGE AND FIBER CROPS: Alfalfa, Barley, Buckwheat, Canola, Clover (all types), Corn (all types), Cotton, Hay, Kudzu, Lespedeza, Lupin, Millet, Oats, Popcorn, Rice, Rye, Safflower, Sainfoin, Sorghum, Sunflower, Teosinte, Trefoil, Triticale, Vetch, Wheat and Wild rice.
Aerial applications may be made in a minimum of 5 gallons of water/acre.

CEREAL GRAINS, FORAGE AND FIBER CROPS: Alfalfa, Barley, Buckwheat, Canola, Clover (all types), Corn (all types), Cotton, Hay, Kudzu, Lespedeza, Lupin, Millet, Oats, Popcorn, Rice, Rye, Safflower, Sainfoin, Sorghum, Sunflower, Teosinte, Trefoil, Triticale, Vetch, Wheat and Wild rice.
Aerial applications may be made in a minimum of 5 gallons of water/acre.

CUCURBIT CROPS: Chayote, Chinese waxgourd, Citron melon, Cucumber (all types), Gherkin, Gourd, Muskmelon, Pumpkin, Squash (summer and winter) and Watermelon.
Aerial applications may be made in a minimum of 5 gallons of water/acre.

HERB AND SPICE CROPS: Allspice, Angelica, Anise, Annatto, Balm, Basil, Borage, Burnet, Camomile, Caper buds, Caraway, Cardamom, Cassia bark and buds, Catnip, Celery seed, Chervil, Chive, Cinnamon, Clary, Clove, Cocoa, Coriander, Costmary, Cilantro, Cumin, Curry, Dill, Fennel, Fenugreek, Grain of paradise, Hops, Horehound, Hyssop, Juniper berry, Lavender, Lemongrass, Lovage, Mace, Marigold, Marjoram, Mint, Mustard, Nasturtium, Nutmeg, Parsley, Pennyroyal, Pepper, Poppy seed, Rosemary, Rue, Saffron, Sage, Savory, Sweet bay, Tansy, Tarragon, Thyme, Vanilla, Wintergreen, Woodruff, and Wormwood.
Aerial applications may be made in a minimum of 5 gallons of water/acre.

Rampart 6.8 Fungicide

EPA REG NO. 82940-1-34704

LEGUME CROPS: Bean (all types), broad been (fava bean), Chick pea (garbanzo bean), Guar, Jackbean, Lablab bean, Lentil, Pea (all types), Peanut, Pigeon pea, Soybean and Sword bean**.**
Aerial applications may be made in a minimum of 5 gallons of water/acre.

VEGETABLES INCLUDING MINOR FOOD CROPS: (Leafy, Root and Tuber) Amaranth (Chinese spinach, tampala, etc.), Arracacha, Arugula, Arrowroot, Artichoke (all types), Asparagus, Beet (all types), Burdock, Canna, Cardoon, Carrot, Cassava, Celeriac, Celery, Chayote, Chervil (turnip-rooted), Chicory, Chilies, Chrysanthemum (edible), Chufa, Cinchoca, Coconut, Coffee, Corn (all types), Cress (all types), Dandelion, Dasheen, Dock, Eggplant, Endive, Fennel, Garlic, Ginger, Ginseng, Horseradish, Leren, Lettuce (all types), Okra, Onion, Orach, Parsley, Parsnip, Peppers (all types), Pineapple, Purslane, Potato (all types), Radicchio, Radish (all types), Rhubarb, Rutabaga, Salisify (all types), Skirret, Spinach (all types), Sugarcane, Sweet Potato, Swiss Chard, Tanier, Tobacco, Tomato, Turmeric, Turnip, Yam (all types).
Aerial applications may be made in a minimum of 5 gallons of water/acre.

Loveland Products, Inc. will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by Loveland Products, Inc. User assumes all risks associated with non-labeled use.

FOR A **MEDICAL EMERGENCY** INVOLVING THIS PRODUCT **CALL: 1-800-424-9300**
For **Transportation Emergencies/ 24 hours a day CALL: 1-800-424-9300**
For Product Use Information CALL: 1-888-LPI-CUST (1-888-574-2878)

As with any pesticide product, always read and follow label directions.
For additional information call toll free 1-888-LPI-CUST (1-888-574-2878)

Loveland Products, Inc., P.O. Box 1286, Greeley, CO 80632