OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 8, 2026

Michael Kellogg
Regulatory Consultant
Tide International, USA, Inc.
c/o Pyxis Regulatory Consulting Inc.
4110 136th St. Ct. NW
Gig Harbor, WA 98332

Subject: Label Amendment - Registration Review Mitigation for Abamectin
Product Name: Timectin 0.15 EC T&O Insecticide/ Miticide
EPA Registration Number: 84229-1
Case Number: 477288
Application Date: September 30, 2019

Dear Michael Kellogg:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Abamectin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Tracy Jackson by phone at 202-566-2268, or via email at jackson.tracy@epa.gov.

Sincerely,



Julie Javier, Team Leader
Risk Mitigation and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

[Note to reviewer: [Text] in brackets indicates optional text].

ACCEPTED
Sep 8, 2026
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 84229-1

ABAMECTIN	GROUP	6	INSECTICIDE

Timectin™ 0.15 EC T&O

Insecticide/Miticide

[Alternate Brand Name: Tide Timectin™ 0.15 EC T&O Insecticide/Miticide; Tide Timectin 0.15EC Ornamental Insecticide/Miticide; Timectin 0.15 EC Ornamental Insecticide/Miticide]

For use on ornamental plants to control leafminers and mites and to suppress aphids, whiteflies and thrips.

Intended for Agricultural/Commercial Use.

ACTIVE INGREDIENT:
Abamectin: 1.9%
OTHER INGREDIENTS: 98.1%
TOTAL: 100.0%

Timectin 0.15 EC T&O Insecticide/Miticide contains 0.15 lb. active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a algiuen para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.	

NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.

In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

[See] [inside] [label] [booklet] [for] [First Aid][,] [additional] [Precautionary Statements][,] [and] [Directions for Use] [including] [Storage and Disposal] [instructions][.]

EPA Reg. No. 84229-1
EPA Est. No.

Manufactured for:
Tide International USA, Inc.
21 Hubble
Irvine, CA 92618

Net Contents: _____ Gallons (L)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING – AVISO

Causes substantial but temporary eye injury. Do not get in eyes. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical-resistant gloves made of barrier laminate; nitrile rubber ≥ 14 mils; neoprene rubber ≥ 14 mils; or Viton ≥ 14 mils
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Combustible: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This product is **not** for outdoor residential use on lawns, turf, home gardens, ornamentals, flowers, shrubs or trees. This restriction applies to all uses listed on this label.

IMPORTANT – READ BEFORE USE

Read the entire Directions for Use, Limited Warranty and Disclaimer before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following warranty disclaimer, inherent risks of use and limitation of remedies.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves made of barrier laminate; nitrile rubber ≥ 14 mils; neoprene rubber ≥ 14 mils; or Viton ≥ 14 mils Chemical-resistant shoes and socks
- Protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not reenter treated areas until sprays have dried.

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

Timectin 0.15 EC T&O Insecticide/Miticide is an EC formulation which is to be diluted with water prior to use. Timectin 0.15 EC T&O Insecticide/Miticide controls leafminers and mites and suppresses whiteflies, thrips and aphids on the ornamental species listed on this label.

RUNOFF PREVENTION

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

MANDATORY SPRAY DRIFT MANAGEMENT

Airblast applications:

- Sprays must be directed into the canopy.
- Do not apply when wind speeds exceed 15 miles per hour at the application site.
- User must turn off outward pointing nozzles at the row end and when spraying the outer row.
- Do not apply during temperature inversions.

Ground Boom Applications:

- User must only apply with the release height recommended by the manufacturer, but no more than 4 feet above the ground or crop canopy.
- Applicators are required to use a medium or coarser droplet size in accordance with the most current version of the American Society of Agricultural and Biological Engineers Standard 572 (ASAE S572).
-
- Do not apply when wind speeds exceed 15 miles per hour at the application site.
- Do not apply during temperature inversions.

Boomless Ground Applications:

- Applicators are required to use a medium or coarser droplet size in accordance with the most current version of the American Society of Agricultural and Biological Engineers Standard 572 (ASAE S572) for all applications.
- Do not apply when wind speeds exceed 15 miles per hour at the application site.
- Do not apply during temperature inversions.

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT.
BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Controlling Droplet Size – Ground Boom

- Volume - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.
- Pressure - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.

- Spray Nozzle - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

BOOM HEIGHT – Ground Boom
For ground equipment, the boom should remain level with the crop and have minimal bounce.

SHIELDED SPRAYERS
Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area.

TEMPERATURE AND HUMIDITY
When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

TEMPERATURE INVERSIONS
Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

WIND
Drift potential generally increases with wind speed. AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.
Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

Boom-less Ground Applications:
- Setting nozzles at the lowest effective height will help to reduce the potential for spray drift.

Handheld Technology Applications:
Take precautions to minimize spray drift.

RESISTANCE-MANAGEMENT RECOMMENDATIONS
For resistance management, Timectin 0.15 EC T&O Insecticide/Miticide contains a Group 6 insecticide/acaricide. Any insect/mite population may contain individuals naturally resistant to Timectin 0.15 EC T&O Insecticide/Miticide and other Group 6 insecticides/acaricides. The resistant individuals may dominate the insect/mite population if this group of insecticides/acaricides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.
To delay insecticide/acaricide resistance, take the following steps:
- Rotate the use of Timectin 0.15 EC T&O Insecticide/Miticide or other Group 6 insecticides/acaricides within a growing season, or among growing seasons, with different groups that control the same pests.
- Use tank mixtures with insecticides/acaricides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):

- Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
- Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
- When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
- Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
- The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.

- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Tide International, USA, Inc. at 949-679-3535.

To manage susceptibility in *Liriomyza* leafminer species, make up to three applications of Timectin 0.15 EC T&O Insecticide/Miticide and then rotate to Citation® Insecticide (which contains the active ingredient cyromazine) for no more than three applications before rotating back to Timectin 0.15 EC T&O Insecticide/Miticide or using another insecticide. Alternating between these two products which have different modes of action should be based on the generation of *Liriomyza* species to avoid applying Timectin 0.15 EC T&O Insecticide/Miticide to successive generations.

Plant Tolerance

Although Timectin 0.15 EC T&O Insecticide/Miticide has been tested for tolerance on a variety of ornamental plants, it is not possible to test Timectin 0.15 EC T&O Insecticide/Miticide under all application conditions, such as when Timectin 0.15 EC T&O Insecticide/Miticide is applied with combination products or with surfactants or adjuvants. Test a small area of plants for phytotoxicity to Timectin 0.15 EC T&O Insecticide/Miticide before making applications to large blocks of plants.

Phytotoxicity has been observed after the use of Timectin 0.15 EC T&O Insecticide/Miticide on certain species of ferns (e.g., *Adiantum* spp.) and Shasta Daisy (*L. eucanthemum* spp.). Tide International USA does not recommend the use of Timectin 0.15 EC T&O Insecticide/Miticide on ferns or Shasta Daisy.

Restrictions

- Do not use Timectin 0.15 EC T&O Insecticide/Miticide for suppression of aphids, whiteflies, and thrips on roses, chrysanthemums, and gerbera. These ornamentals are primary hosts of mites and *Liriomyza* leafminers and Timectin 0.15 EC T&O Insecticide/Miticide applications should target these insect pests. Additional applications of Timectin 0.15 EC T&O Insecticide/Miticide to suppress aphids, thrips, and whiteflies on

these plants will increase the selection pressure on mites and *Liriomyza* leafminers which may result in greater tolerance of these pests to Timectin 0.15 EC T&O Insecticide/Miticide.

- Do not apply this product through any type of irrigation system.
- Do not apply by air.
- Do not use in citrus nurseries.
- Do not apply less than 8.0 fl. oz. (0.009 lb ai) per acre per application.
- Do not apply more than 16 fl. oz. (0.019 lb ai) per acre per application.
- Do not apply more than 128 fl. oz. (0.15 lb ai) per acre per year.
- Do not apply more than 8 applications at the 16 fl. oz. (0.019 lb ai) per acre per year.
- Time applications to allow Timectin 0.15 EC T&O Insecticide/Miticide to dry on the treated surface prior to a rain event.
- To limit unwanted surface runoff in outdoor ornamental uses, do not apply when growth media is saturated.

ORNAMENTALS - CROP USE DIRECTIONS

TARGET CROPS
Shadehouse, Greenhouse, Field-Grown Ornamentals, Foliage Plants, Christmas Trees, and other Woody Ornamentals

APPLICATION DIRECTIONS
Mix Timectin 0.15 EC T&O Insecticide/Miticide with a sufficient amount of water. Make applications as a foliar spray and ensure crops receive a thorough, uniform coverage.

Horticultural Spray Oils: For enhanced residual control of target pests on field-grown woody ornamentals, landscape plants, and Christmas trees, add a horticultural spray oil to the Timectin 0.15 EC T&O Insecticide/Miticide spray mix at 0.5 to 1.0% of the spray volume. To maintain control, make repeat applications as necessary at 7 days intervals. Some plants may be sensitive to these oils. Test a small area of plants for phytotoxicity to Timectin 0.15 EC T&O Insecticide/Miticide mixed with horticultural spray oil. Evaluate the plants after 2 weeks before applying Timectin 0.15 EC T&O Insecticide/Miticide mixed with oils on a large number of plants. In addition, plant damage from treatment with such mixtures may be increased if the temperatures are very cold or very warm. Read and follow directions on the spray oil label. Do not exceed the maximum rates listed on the label.

Pests Controlled at 4 fl. oz. (0.005 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide/100 gallons:

Mites including European Red Mite, Twospotted Spider Mite, Carmine Spider Mite, Southern Red Mite, Spruce Spider Mite, Tarsonemid Mites (Cyclamen and Broad Mites), Eriophyid Mites (Rust and Bud Mites)

Application Instructions: Make applications of Timectin 0.15 EC T&O Insecticide/Miticide in 200 to 400 gallons of water per acre. For thorough coverage of plants, more than 400 gal. of water per acre may be required.

- Use at least 8 fl. oz. (0.009 lb ai) per acre if using less than 200 gals.
- Use no more than 16 fl. oz. (0.019 lb ai) per acre in 400 or more gals. of water (that is, add 2.5 fl. oz. (0.003 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide per 100 gals. if total spray volume is 650 gals.).
- Apply when mites first appear. Make repeat applications as necessary to maintain control.
- For Tarsonemid mites, make repeat applications to newly developing tissue to maintain control.

Pests Controlled at 8 fl. oz. (0.009 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide/100 gallons:

Liriomyza Leafminers, Boxwood Leafminer

Application Instructions: Make applications of Timectin 0.15 EC T&O Insecticide/Miticide in 100 to 200 gallons of water per acre. For thorough coverage of plants, more than 400 gal. of water per acre may be required.

- Use at least 8 fl. oz. (0.009 lb ai) per acre if using less than 100 gals.
- Use no more than 16 fl. oz. (0.019 lb ai) per acre in 200 or more gals. of water (that is, add 4 fl. oz. (0.005 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide per 100 gals. if total spray volume is 400 gals.).
- For leafminers, apply as needed. Make repeat applications at 7-day intervals or as necessary to maintain control.
- For control of mining larvae (Boxwood leafminers), apply Timectin 0.15 EC T&O Insecticide/Miticide when adults are beginning to lay eggs in the new foliage.

Pests Suppressed at 8 fl. oz. (0.009 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide/100 gallons:

Aphids, Thrips, Whiteflies

Application Instructions: Make applications of Timectin 0.15 EC T&O Insecticide/Miticide in 200 to 400 gallons of water per acre. For thorough coverage of plants, more than 400 gals. of water per acre may be required.

- Use at least 8 fl. oz. (0.009 lb ai) per acre if using less than 200 gals.
- Use no more than 16 fl. oz. (0.019 lb ai) per acre in 400 or more gals. of water (that is, add 2.5 fl. oz. (0.003 lb ai) Timectin 0.15 EC T&O Insecticide/Miticide per 100 gals. if total spray volume is 650 gals.).
- Make applications of Timectin 0.15 EC T&O Insecticide/Miticide when young, immature stages of these pests are first observed.
- Make repeat applications every 7 days for 2 or 3 weeks. Then, alternate to another insecticide that has a different mode of action than Timectin 0.15 EC T&O Insecticide/Miticide. Read the **Resistance Management** section for additional information on insecticide rotation.
- Aphids, thrips, and whiteflies are killed by direct contact with the Timectin 0.15 EC T&O Insecticide/Miticide spray.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Storage

Store in a tightly closed container in a cool, dry place.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

Tide International USA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below.

Our directions for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with printed directions and established safe practice. To the extent consistent with applicable law, buyer's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise shall be limited, at the manufacturer's option to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Tide International USA or the seller. All such risks shall be assumed by buyer.

Terms and Conditions of Use

If terms of the Limited Warranty & Disclaimer and Inherent Risks of Use are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer and Inherent Risks of Use.

Citation® Insecticide is a trademark of a Syngenta Group Company
Timectin™ is a trademark of Tide International USA, Inc.

[EPA APPROVAL DATE]